

FIG. 1




FIG. 2




FIG. 3





FIG. 4

FIG. 5






FIG. 6

```

701  class myClass {
    ...
702  private string myString;
    ...
706  [StringLength (MinLength=16, MaxLength=64)]
    public string myProp {
703  get {return myString;}
    set {
705  # region Framework : Before property set
        object _property = GetProperty(System.Reflection.MethodBase.GetCurrentMethod());
        PropertyValueChangedEventArgs _args =
            new PropertyValueChangedEventArgs(value);
        OnPropertyValueChanged(_property, _args);
        if (_args.Canceled) return;
        #endregion
710  myString = value;
        #region Framework; After property set
        OnPropertyValueChanged(_property);
        #endregion
    }
    ...
}

```

FIG. 7

```

701  class myClass {
702      ...
703      private string myString;
704      ...
705      [StringLength=16, MaxLength=64, IsReadOnlyMode = IsReadOnlyMode.IsNew]]
706      public string myProp {
707          get {return myString;}
708          set {
709              # region Framework : Before property set
710              object _property = GetProperty(System.Reflection.MethodBase.GetCurrentMethod());
711              PropertyValueChangedEventArgs _args =
712                  new PropertyValueChangedEventArgs(value);
713              OnPropertyValueChanged(_property, _args);
714              if (_args.Canceled) return;
715              #endregion
716              myString = value;
717              #region Framework; After property set
718              OnPropertyValueChanged(_property);
719              #endregion
720          }
721      }
722      ...
723  }

```

FIG. 8


```

701  class myClass {
    ...
    private string myString;
    ...
    [StringLength (MinLength=16, MaxLength=64, IsReadOnlyMode =
    702                                     IsReadOnlyMode.PropertyIsReadOnly, IsReadOnlyPropertyLink = name of a property)]
    706  public string myProp {
    703      get {return myString;}
    705      set {
    710          # region Framework : Before property set
    714          object _property = GetProperty(System.Reflection.MethodBase.GetCurrentMethod());
    715          PropertyValueChangedEventArgs _args =
    712              new PropertyValueChangedEventArgs(value);
    711          OnPropertyValueChanged(_property, _args);
    713          if (_args.Canceled) return;
    714          #endregion
    715          myString = value;
    712          #region Framework; After property set
    711          OnPropertyValueChanged(_property);
    713          #endregion
    712      }
    714  }
    ...
    }

```


Diagram annotations:

- 701 points to the line `class myClass {`.
- 702 points to the line `[StringLength (MinLength=16, MaxLength=64, IsReadOnlyMode =`.
- 706 points to the line `public string myProp {`.
- 703 points to the line `get {return myString;}`.
- 705 points to the line `set {`.
- 710 points to the line `# region Framework : Before property set`.
- 714 points to the line `object _property = GetProperty(System.Reflection.MethodBase.GetCurrentMethod());`.
- 715 points to the line `PropertyValueChangedEventArgs _args =`.
- 712 points to the line `new PropertyValueChangedEventArgs(value);`.
- 711 points to the line `OnPropertyValueChanged(_property, _args);`.
- 713 points to the line `if (_args.Canceled) return;`.
- 714 points to the line `#endregion`.
- 715 points to the line `myString = value;`.
- 712 points to the line `#region Framework; After property set`.
- 711 points to the line `OnPropertyValueChanged(_property);`.
- 713 points to the line `#endregion`.
- 712 points to the line `}`.
- 714 points to the line `}`.
- 715 points to the line `...`.

Brackets indicate the following groupings:

- 718 groups the lines `IsReadOnlyMode.PropertyIsReadOnly, IsReadOnlyPropertyLink = name of a property)]`.
- 710 groups the lines `# region Framework : Before property set` through `OnPropertyValueChanged(_property, _args);`.
- 712 groups the lines `new PropertyValueChangedEventArgs(value);` through `OnPropertyValueChanged(_property);`.

FIG. 9






FIG. 11




FIG. 12




FIG. 13

1244




FIG. 14

1050



COMPANY_ID 1052	ORDER_ID 1054	ORDERLINE_ID 1056	SERIAL NO. 1058	OTHER COLUMNS	
• • •	• • •	• • •	• • •	• • •	• • •

FIG. 15